

Midway Ford Truck Center, Inc. 7601 NE 38th St, Kansas City, Missouri, 641619409 Office: 816-455-3000 Fax: 816-454-3796

Customer Proposal

Prepared for:

Mr. Arnold Heller Sales, Mannasec Acquisition Co. LLC dba Warner 11700 N. State Road Elwood, IN 46036

Office: 317-773-2100 Fax: 317-773-1715

Email: arnoldh@warnerbodies.com

Prepared by:

Kent Kuehn

Office: 402-334-7387 Email: akkuehn@cox.net

Date: 03/08/2017

Vehicle: 2017 F-550 Chassis XL 4x4 SD Crew Cab 203" WB DRW

Quote ID: WBAH1706



2017 F-550 Chassis, SD Crew Cab 4x4 SD Crew Cab 203" WB DRW XL(W5H) Price Level: 755 Quote ID: WBAH1706

Selected Options

Code **Description**

Base Vehicle

W5H Base Vehicle Price (W5H)

Packages

660A Order Code 660A

Includes:

- Engine: 6.8L 3-Valve SOHC EFI NA V10

Includes CNG/Propane gaseous engine prep, hardened engine intake and valve seats. This package does not include CNG/Propane fuel tanks lines, etc. Vehicle will be equipped with the standard factory gasoline fuel system. Additional equipment combined with Certified calibration reflash is required, from an external upfitter, to convert the vehicle to a CNG/Propane fueled vehicle. See Alternative Fuel Buyers Guide: www.ford.com/altfuelbuyersguide.
- Transmission: TorqShift 6-Speed Automatic (6R140)

Includes SelectShift.

- 4.88 Axle Ratio

- 4.88 Axie Kalio
- GVWR: 18,000 lbs Payload Package
- Tires: 225/70Rx19.5G BSW AS
- Wheels: 19.5" Argent Painted Steel
Includes manual locking hubs.

- HD Vinyl 40/20/40 Split Bench Seat

Includes center armrest, cupholder, storage and driver's side manual

- Radio: AM/FM Stereo Includes 6 speakers.

Powertrain

X8L

68M

99T Engine: 6.7L 4V OHV Power Stroke V8 Turbo Diesel B20

> Includes Diesel Exhaust Fluid (DEF) tank, Intelligent Oil-Life Monitor, manual push-button engine-exhaust braking and split-shaft calibration compatibility

Includes.

- Dual 78-AH 750 CCA Batteries

44W Transmission: TorqShift 6-Speed Automatic

(6R140). Includes SelectShift.

Limited Slip w/4.88 Axle Ratio

GVWR: 19,500 lb Payload Plus Upgrade Package

Includes upgraded frame, rear-axle and low deflection/high capacity springs. Increases max RGAWR to 14, 706. NOTE: See Order Guide Supplemental Reference for further details on GVWR.

Wheels & Tires

TFB Tires: 225/70Rx19.5G BSW AS

64Z Wheels: 19.5" Argent Painted Steel

Includes manual locking hubs.

Seats & Seat Trim

HD Vinyl 40/20/40 Split Bench Seat

Includes center armrest, cupholder, storage and driver's side manual lumbar.

Other Options

Selected Options (cont'd)

Code	Description
PAINT	Monotone Paint Application
203WB	203" Wheelbase
96V	XL Value Package
	Includes: - 4.2" Center-Stack Screen - Radio: AM/FM Stereo/Single-CD/MP3 Player Includes auxiliary audio input jack and 6 speakers XL Decor Group - Chrome Front Bumper - Steering Wheel-Mounted Cruise Control
90L	Power Equipment Group
	Deletes passenger side lock cylinder. Includes upgraded door-trim panel. Includes: - Accessory Delay - Trailer Tow Mirrors w/Power Heated Glass Includes manual telescoping, heated convex spotter mirror and integrated clearance lamps/turn signals MyKey Includes owner controls feature Perimeter Anti-Theft Alarm - Power Front & Rear Side Windows Includes 1-touch up/down driver/passenger window Power Locks - Remote Keyless Entry - SecuriLock Passive Anti-Theft System (PATS)
86S	Low Deflection Package
	Includes 2-inch spacer blocks. Recommended for rear-biased loading, such as wrecker/retriever applications.
213	4x4 Electronic-Shift-On-The-Fly (ESOF)
	Includes manual-locking hubs and auto rotary control on instrument panel.
41H_	Engine Block Heater
62R	Transmission Power Take-Off Provision
0.05	Includes transmission mounted live drive and stationary mode PTO.
98R	Operator Commanded Regeneration (OCR) Includes active regeneration inhibit.
67B	Dual Extra Heavy-Duty Alternators (Total 377-Amps)
59H	Center High-Mounted Stop Lamp (CHMSL)
585	Radio: AM/FM Stereo/Single-CD/MP3 Player Includes auxiliary audio input jack and 6 speakers.
Fleet Options	
17F	XL Decor Group Includes: - Chrome Front Bumper
47J	Fire/Rescue Prep Pkg w/EPA Special Emissions (LPO)

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

REQUIRES valid FIN code.

Selected Options (cont'd)

Code Description

> Includes 7,000 lbs. max front springs/GAWR rating for configuration selected. Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer. Ford urges Fire/Rescue Vehicle manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements). NOTE 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module. NOTE 2: Engine calibration significantly reduces the possibility of depower mode when in stationary PTO operation. NOTE 3: Operator commanded regen allowed down to 30% of DPF filter full, instead of 100%. NOTE 4: Must meet the definition of an Emergency Vehicle, an Ambulance or Fire Truck per 40 CFR 86.1803.01 in the Federal Register. NOTE 5: California Code of Regulations allows for the sale of Federally certified emergency vehicles in California. Includes:

- Dual Extra Heavy-Duty Alternators (Total 377-Amps)
 Operator Commanded Regeneration (OCR)
- Includes active regeneration inhibit.

525_ Steering Wheel-Mounted Cruise Control

D9E **Built: Kentucky Truck Plant**

31M Ship-Thru: Manning Light Truck Equipment

FLADCR Fleet Advertising Credit

Emissions

425 50-State Emissions System

Interior Colors

AS 04 Medium Earth Gray

Primary Colors

Race Red PQ_01

General Info

ORDER1 Initial Order Date: 04/13/2016

START1 Start-Up Date: 07/11/2016

FINAL1 Final Order Date: TBD

Fleet Final Order Date: TBD FINAL2

BUILD1 Build-Out Date: TBD

Upfit Options

AKK-082 PTO Shaft thru transfer T Case

Live drive plus 4x4 will operate in parked or moving! Includes Muncie FR66-1209-D3BB PTO! 1 1/4" round key output! Dealer must specify if

other PTO is required.

Body builder responsible for additional equipment installation and provision pumps, dampeners for additional equipment, all controls,

pressure governors, etc.

AKK124 F.O.B. Elwood, IN.

Mannesec Acquisitions, dba Warner Body

Selected Options (cont'd)

Code	Description
AKK147	F.O.B. Authorized Ford Drop Ship Point
AKK160	DEF tank relocation
	Located outside on curbside of frame rail
AKK185	(2) SCBA 911 air pack seats
	Located outboard in rear of cab
AKK201	PDI, Ship to location
AKK254	Damper, Viscous
	Damper, Vicous!! Appliances such as gear-box-driven fire pumps amplify the inherent torsional vibrations cause by the engine fireing pulses of the 6.7L diesel resulting in annoying "clatter" when operating under light or no load. This vibratec viscous damper absorbs these torsional vibrations resulting in a smooth and quiet drive-line. The viscous damper does not eliminate the "rattle" you may hear from the PTO gear lash when PTO is not engaged. The viscous damper provided is machined to be sandwiched between two 1350 series companion flanges.

Pricing - Single Vehicle

	MSRP
Vehicle Pricing	\$67,430.00
Discount Adjustments	-\$11,348.00
Total	\$56,082.00
Customer Signature	Acceptance Date

2017 F-550 Chassis, SD Crew Cab 4x4 SD Crew Cab 203" WB DRW XL(W5H) Price Level: 755 Quote ID: WBAH1706

Pricing - Multiple Vehicles (2)

	MSRP
Vehicle Pricing	\$134,860.00
Discount Adjustments	-\$22,696.00
Total	\$112,164.00
Customer Signature	Acceptance Date

Warranty - Standard Equipment & Specs

Warranty

Basic Distance	36000 miles	Months	36 months
Powertrain			
Distance	60000 miles	Months	60 months
Corrosion Perforation Distance	Unlimited miles	Months	60 months
Roadside Assistance Distance	60000 miles	Months	60 months

Selected Equipment & Specs

Dimensions

Exterior length: 289.2" * Exterior width: 105.9" * Exterior height: 81.7" * Wheelbase: 203.0" * Front track: 74.8" * Rear track: 74.0" * Min ground clearance: 8.2" * Front legroom: 43.9" * Rear legroom: 43.6" * Front headroom: 40.8" * Rear headroom: 40.4" * Front hiproom: 62.5" * Rear hiproom: 64.7" * Front shoulder room: 66.7" * Rear shoulder room: 65.9" * Passenger volume: 131.7cu.ft. * Cargo volume: 52.1cu.ft. * Maximum cargo volume: 52.1cu.ft.

Powertrain

Powerstroke 330hp 6.7L OHV 32 valve intercooled turbo V-8 engine with diesel direct injection * Recommended fuel: diesel * federal * TorqShift 6 speed automatic transmission with overdrive * Part-time * Limited slip differential * Fuel Economy Cty: N/A * Fuel Economy Highway: N/A * Transmission PTO provision

Suspension/Handling

Front Mono-beam non-independent suspension with anti-roll bar, HD shocks * Rear DANA 130 rigid axle leaf spring suspension with anti-roll bar, HD shocks * Firm ride Suspension * Hydraulic power-assist re-circulating ball Steering * Front and rear 19.5 x 6 argent steel wheels * LT225/70SR19.5 GBSW AS front and rear tires * Dual rear wheels

Body Exterior

4 doors * Conventional left rear passenger * Conventional right rear passenger * Driver and passenger power remote heated folding door mirrors with turn signal indicator * Turn signal indicator in mirrors * Black door mirrors * Chrome bumpers * Trailer harness * Clearcoat paint * Front and rear 19.5 x 6 wheels

Convenience

Manual air conditioning with air filter * Cruise control with steering wheel controls * Power windows * Driver and passenger 1-touch up * Driver and passenger 1-touch down * Remote power door locks with 2 stage unlock and illuminated entry * Manual tilt steering wheel * Manual telescopic steering wheel * Day-night rearview mirror * 1 1st row LCD monitor * Front cupholders * Passenger visor mirror * Full overhead console * Driver and passenger door bins * Rear door bins

Seats and Trim

Seating capacity of 6 * Front 40-20-40 split-bench seat * 4-way driver seat adjustment * Manual driver lumbar support * 4-way passenger seat adjustment * Centre front armrest with storage * 60-40 folding rear split-bench seat

Entertainment Features

AM/FM stereo radio * 6 speakers * Fixed antenna

Lighting, Visibility and Instrumentation

Halogen aero-composite headlights * Delay-off headlights * Fully automatic headlights * Variable intermittent front windshield wipers * Light tinted windows * Front and rear reading lights * Tachometer * Outside temperature display * Trip computer * Trip odometer

Safety and Security

4-wheel ABS brakes * Brake assist * 4-wheel disc brakes * Driveline traction control * Dual front impact airbag supplemental restraint system * Dual seat mounted side impact airbag supplemental restraint system * Safety Canopy System curtain 1st and 2nd row overhead airbag supplemental restraint system * Remote activated perimeter/approach lighting * Power remote door locks with 2 stage unlock and panic alarm * Security system with SecuriLock immobilizer * MyKey restricted driving mode * Manually adjustable front head restraints * 3 manually adjustable rear head restraints

Dimensions

General Weights

Curb	8509 lbs.	GVWR	19500 lbs.
Front GAWR	7000 lbs.	Rear GAWR	14706 lbs.
Payload	11060 lbs.	Front curb weight	5055 lbs.
Rear curb weight	3454 lbs.	Front axle capacity	7000 lbs.
Rear axle capacity	14706 lbs.	Front spring rating	7000 lbs.
Rear spring rating	15000 lbs.	Front tire/wheel capacity	

Rear tire/wheel capacity	•	,	
Trailering Type Harness	Yes	Trailer sway control	Yes
General Trailering			
5th-wheel towing capacity 2 GCWR 3	21700 lbs. 31000 lbs.	Towing capacity	18500 lbs.
Fuel Tank type			
Capacity	40 gal.		
Off Road			
Min ground clearance	8 "		
Interior cargo			
Cargo volume	52.1 cu.ft.	Maximum cargo volume	52.1 cu.ft.
Powertrain			
Engine Type			
Brand Po Cylinders Ignition Cor Liters Recommended fuel Valvetrain	V-8 mpression 6.7L Diesel	Block material Head material Injection Die Orientation Valves per cylinder Forced induction	Aluminum sel direct injection Longitudinal 4
Engine Spec			
Bore Displacement		Compression ratio	
Engine Power			
Output	,600 RPM	Torque 750 ft	lb @ 2,000 RPM
Alternator			
Туре	Dual	Amps	377
Battery			
Amp hours Run down protection	78 Yes	Cold cranking amps Type	750 Dual
Engine Extras Block heater	Yes		
Transmission			
Electronic control Overdrive Type	Yes	Lock-up Speed	
Transmission Gear Ratios			
1st 3rd 5th Reverse Gear ratios	1.516 0.858	2nd 4th 6th	1.149
Transmission Torque Converter Stall ratio	1.90		

Transmission Extras Driver selectable mode Yes PTO provision Yes	Sequential shift control SelectShift
Drive Type	
4wd type Part-time	Type Four-wheel
Drive Feature	
Limited slip differential Mechanical Power take-off provision Yes Transfer case shift Electronic	Traction control Driveline Locking hub control Auto
Drive Axle	
Ratio 4.88	
Exhaust	
Material Stainless steel	System type Single
Emissions	
CARB Federal	EPA Tier 2 Bin 8
fuel Economy	
Fuel type Diesel	
Engine Retarder	
Type Yes	
Driveability	
Brakes	
ABS 4-wheel	ABS channels 3
Type 4-wheel disc	Vented discs Front and rear
Brake Assistance	
Brake assist Yes	
Suspension Control	
Ride Firm	
Front Suspension	
Independence Mono-beam non-independent	Anti-roll bar Regular
Front Spring	
Type Coil	Grade HD
Front Shocks	
Type HD	
Rear Suspension	
Independence DANA 130 rigid axle Anti-roll bar Regular	Type Leaf
Rear Spring	
Type Leaf	Grade HD
Rear Shocks	
Type HD	

Steering Activation Hydraulic power-assist	Type Re-circulating ball
Steering Specs # of wheels 2	
Exterior	
Front Wheels Diameter 19.5"	Width 6.00"
Rear Wheels Diameter 19.5" Dual Yes	Width 6.00"
Front and Rear Wheels Appearance Argent	Material Steel
Front Tires	
Aspect 70 Sidewalls BSW Tread AS Width 225mm RPM 647	Diameter19.5"SpeedSTypeLTLT load ratingG
Rear Tires	
Aspect 70 Sidewalls BSW Tread AS Width 225mm RPM 647	Diameter19.5"SpeedSTypeLTLT load ratingG
Wheels	
Front track 74.8" Wheelbase 203.0"	Rear track 74.0"
Body Features Front license plate bracket Body material Yes Aluminum	Front splash guards Yes Side impact beams Yes
Body Doors Door count 4 Right rear passenger Conventional	Left rear passenger Conventional
Exterior Dimensions	
Length289.2"Body height81.7"Axle to end of frame47.2"Frame rail width34.2"Front bumper to back of cab158.1"	Body width 105.9" Cab to axle 84.0" Frame section modulus 17.2cu.in. Front bumper to Front axle 38.3"
Safety	
Airbags Driver front-impact Yes	Driver side-impact Seat mounted

Colocted Equipment & Opens (cont a)	
Overhead Safety Canopy System curtain 1st and 2nd row Passenger side-impact Seat mounted	Passenger front-impact Yes
Seatbelt	
Height adjustable Front	
Security	
Immobilizer SecuriLock Restricted driving mode MyKey	Panic alarm Yes
Seating	
Passenger Capacity Capacity 6	
Front Seats	
Split 40-20-40	Type Split-bench
Driver Seat	
Fore/aft Manual Way direction control 4	Reclining Manual Lumbar support Manual
Passenger seat	•
Fore/aft Manual Way direction control 4	Reclining Manual
Front Head Restraint	
Control Manual	Type Adjustable
Front Armrest	
Centre Yes	Storage Yes
Rear Seats Descriptor Folding Split-bench 60-40	Facing Front Folding position Flip forward cushion/seatback
Type Fixed	rolating position of the forward dustrion, seatback
Rear Head Restraints	
Control Manual Number 3	Type Adjustable
Front Seat Trim	
Material Vinyl	Back material Vinyl
Rear Seat Trim Group	
Material Vinyl	Back material Carpet
Convenience	
AC And Heat Type	
Air conditioning Manual Underseat ducts Yes	Air filter Yes
Audio System	
Radio AM/FM stereo Seek-scan Yes	Radio grade Regular

Audio Speakers	Speckers 6
Speaker type Regular	Speakers 6
Audio Antenna Type Fixed	
LCD Monitors 1st row 1	Primary monitor size (inches) 4.2
Cruise Control	Timary monitor size (mones)
Cruise control With steering wheel controls	
Convenience Features	
Retained accessory power Yes	12V DC power outlet2
Door Lock Activation	
Type Power with 2 stage unlock Integrated key/remote Yes	Remote Keyfob (all doors)
Instrumentation Type	
Display Analog	
Instrumentation Gauges	
Tachometer Yes Turbo/supercharger boost Yes Engine hour meter Yes	Engine temperature Yes Transmission fluid temp Yes
Instrumentation Warnings	
Oil pressure Yes Battery Yes Key Yes Door ajar Yes Brake fluid Yes	Engine temperature Yes Lights on Yes Low fuel Yes Service interval Yes
Instrumentation Displays	
Clock In-radio display Systems monitor Yes	Exterior temp Yes
Instrumentation Feature	
Trip computer Yes	Trip odometer Yes
Steering Wheel Type Material Urethane Telescoping Manual	Tilting Manual
Front Side Windows Window 1st row activation Power	
Windows Rear Side 2nd row activation Power	
Window Features 1-touch down Driver and passenger Tinted Light	1-touch up Driver and passenger
Front Windshield Wiper Variable intermittent	

Rear Windshield Window	Fixed		
Interior			
Passenger Visor Mirror	Yes		
Rear View Mirror Day-night	Yes		
Headliner Coverage	Full	Material	Cloth
Floor Trim Coverage	Full	Covering	Vinyl/rubber
Trim Feature Gear shift knob	Urethane	Interior accents	Chrome
Lighting Dome light type Illuminated entry Variable IP lighting	Yes	Front reading Rear reading	
Overhead Console Storage Storage	Yes	Type	Full
Storage Driver door bin Glove box Illuminated Dashboard	Locking Yes	Front Beverage holder(s) Passenger door bin Instrument panel Rear door bins	Yes Bin
Legroom Front	43.9"	Rear	43.6"
Headroom Front	40.8"	Rear	40.4"
Hip Room Front	62.5"	Rear	64.7"
Shoulder Room Front	66.7"	Rear	65.9"
Interior Volume Passenger volume	131.7 cu.ft.		