



Midway Ford Truck Center, Inc.
7601 NE 38th St, Kansas City, Missouri, 641619409
Office: 816-455-3000 Fax: 816-454-3796

Customer Proposal

Prepared for:

Arnold Heller
Mannasec Acquisition Co. LLC dba Warner
11700 N. State Road
Elwood, IN 46036
Office: 317-773-2100
Fax: 317-773-1715
Email: arnoldh@warnerbodies.com

Prepared by:

Kent Kuehn
Office: 402-334-7387
Email: akkuehn@cox.net

Date: 05/10/2017

Vehicle: 2017 F-550 Chassis XL
4x4 SD Crew Cab 203" WB DRW

Quote ID: WBAH1706





Selected Options

Code

Description

Base Vehicle

W5H

Base Vehicle Price (W5H)

Packages

660A

Order Code 660A

Includes:

- Engine: 6.8L 3-Valve SOHC EFI NA V10
Includes CNG/Propane gaseous engine prep, hardened engine intake and valve seats. This package does not include CNG/Propane fuel tanks, lines, etc. Vehicle will be equipped with the standard factory gasoline fuel system. Additional equipment combined with Certified calibration reflash is required, from an external upfitter, to convert the vehicle to a CNG/Propane fueled vehicle. See Alternative Fuel Buyers Guide: www.ford.com/altfuelbuyersguide.
- Transmission: TorqShift 6-Speed Automatic (6R140)
Includes SelectShift.
- 4.88 Axle Ratio
- GVWR: 18,000 lbs Payload Package
- Tires: 225/70Rx19.5G BSW AS
- Wheels: 19.5" Argent Painted Steel
Includes manual locking hubs.
- HD Vinyl 40/20/40 Split Bench Seat
Includes center armrest, cupholder, storage and driver's side manual lumbar.
- Radio: AM/FM Stereo
Includes 6 speakers.

Powertrain

99T

Engine: 6.7L 4V OHV Power Stroke V8 Turbo Diesel B20

Includes Diesel Exhaust Fluid (DEF) tank, Intelligent Oil-Life Monitor, manual push-button engine-exhaust braking and split-shaft calibration compatibility.

Includes:

- Dual 78-AH 750 CCA Batteries

44W

Transmission: TorqShift 6-Speed Automatic

(6R140). Includes SelectShift.

X8L

Limited Slip w/4.88 Axle Ratio

68M

GVWR: 19,500 lb Payload Plus Upgrade Package

Includes upgraded frame, rear-axle and low deflection/high capacity springs. Increases max RGAWR to 14,706. NOTE: See Order Guide Supplemental Reference for further details on GVWR.

Wheels & Tires

TFB

Tires: 225/70Rx19.5G BSW AS

64Z

Wheels: 19.5" Argent Painted Steel

Includes manual locking hubs.

Seats & Seat Trim

A

HD Vinyl 40/20/40 Split Bench Seat

Includes center armrest, cupholder, storage and driver's side manual lumbar.

Other Options

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Selected Options (cont'd)

Code	Description
PAINT	Monotone Paint Application
203WB	203" Wheelbase
96V	XL Value Package <i>Includes:</i> <ul style="list-style-type: none">- 4.2" Center-Stack Screen- Radio: AM/FM Stereo/Single-CD/MP3 Player <i>Includes auxiliary audio input jack and 6 speakers.</i>- XL Decor Group- Chrome Front Bumper- Steering Wheel-Mounted Cruise Control
90L	Power Equipment Group <i>Deletes passenger side lock cylinder. Includes upgraded door-trim panel.</i> <i>Includes:</i> <ul style="list-style-type: none">- Accessory Delay- Trailer Tow Mirrors w/Power Heated Glass <i>Includes manual telescoping, heated convex spotter mirror and integrated clearance lamps/turn signals.</i>- MyKey <i>Includes owner controls feature.</i>- Perimeter Anti-Theft Alarm- Power Front & Rear Side Windows <i>Includes 1-touch up/down driver/passenger window.</i>- Power Locks- Remote Keyless Entry- SecuriLock Passive Anti-Theft System (PATS)
86S	Low Deflection Package <i>Includes 2-inch spacer blocks. Recommended for rear-biased loading, such as wrecker/retriever applications.</i>
213	4x4 Electronic-Shift-On-The-Fly (ESOF) <i>Includes manual-locking hubs and auto rotary control on instrument panel.</i>
41H_	Engine Block Heater
62R	Transmission Power Take-Off Provision <i>Includes transmission mounted live drive and stationary mode PTO.</i>
98R	Operator Commanded Regeneration (OCR) <i>Includes active regeneration inhibit.</i>
67B	Dual Extra Heavy-Duty Alternators (Total 377-Amps)
59H	Center High-Mounted Stop Lamp (CHMSL)
585	Radio: AM/FM Stereo/Single-CD/MP3 Player <i>Includes auxiliary audio input jack and 6 speakers.</i>

Fleet Options

17F	XL Decor Group <i>Includes:</i> <ul style="list-style-type: none">- Chrome Front Bumper
47J	Fire/Rescue Prep Pkg w/EPA Special Emissions (LPO) REQUIRES valid FIN code.

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Selected Options (cont'd)

Code

Description

Includes 7,000 lbs. max front springs/GAWR rating for configuration selected. Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer. Ford urges Fire/Rescue Vehicle manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements). NOTE 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module. NOTE 2: Engine calibration significantly reduces the possibility of depower mode when in stationary PTO operation. NOTE 3: Operator commanded regen allowed down to 30% of DPF filter full, instead of 100%. NOTE 4: Must meet the definition of an Emergency Vehicle, an Ambulance or Fire Truck per 40 CFR 86.1803.01 in the Federal Register. NOTE 5: California Code of Regulations allows for the sale of Federally certified emergency vehicles in California.

Includes:

- Dual Extra Heavy-Duty Alternators (Total 377-Amps)

- Operator Commanded Regeneration (OCR)

Includes active regeneration inhibit.

525_

Steering Wheel-Mounted Cruise Control

D9E

Built: Kentucky Truck Plant

31M

Ship-Thru: Manning Light Truck Equipment

FLADCR

Fleet Advertising Credit

Emissions

425

50-State Emissions System

Interior Colors

AS_04

Medium Earth Gray

Primary Colors

PQ_01

Race Red

General Info

ORDER1

Initial Order Date: 04/13/2016

START1

Start-Up Date: 07/11/2016

FINAL1

Final Order Date: TBD

FINAL2

Fleet Final Order Date: 09/01/2017

BUILD1

Build-Out Date: 11/19/2017

Upfit Options

AKK-082

PTO Shaft thru transfer T Case

Live drive plus 4x4 will operate in parked or moving! Includes Muncie FR66-1209-D3BB PTO! 1 1/4" round key output! Dealer must specify if other PTO is required.

Body builder responsible for additional equipment installation and provision pumps, dampeners for additional equipment, all controls, pressure governors, etc.

AKK124

F.O.B. Elwood, IN.

Mannesec Acquisitions, dba Warner Body

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Selected Options (cont'd)

Code	Description
AKK147	F.O.B. Authorized Ford Drop Ship Point
AKK160	DEF tank relocation <i>Located outside on curbside of frame rail</i>
AKK185	(2) SCBA 911 air pack seats <i>Located outboard in rear of cab</i>
AKK201	PDI, Ship to location
AKK254	Damper, Viscous <i>Damper, Viscous!! Appliances such as gear-box-driven fire pumps amplify the inherent torsional vibrations cause by the engine fireing pulses of the 6.7L diesel resulting in annoying "clatter" when operating under light or no load. This vibratec viscous damper absorbs these torsional vibrations resulting in a smooth and quiet drive-line. The viscous damper does not eliminate the "rattle" you may hear from the PTO gear lash when PTO is not engaged. The viscous damper provided is machined to be sandwiched between two 1350 series companion flanges.</i>

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Midway Ford Truck Center, Inc.
7601 NE 38th St, Kansas City, Missouri, 641619409
Office: 816-455-3000

2017 F-550 Chassis, SD Crew Cab
4x4 SD Crew Cab 203" WB DRW XL(W5H)
Price Level: 755 Quote ID: WBAH1706

Pricing - Single Vehicle

	MSRP
<i>Vehicle Pricing</i>	\$67,430.00
<i>Discount Adjustments</i>	-\$11,346.00
Total	\$56,084.00

Customer Signature

Acceptance Date

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: Arnold Heller, Mannasec Acquisition Co. LLC dba Warner
By: Kent Kuehn Date: 05/10/2017



Midway Ford Truck Center, Inc.
7601 NE 38th St, Kansas City, Missouri, 641619409
Office: 816-455-3000

2017 F-550 Chassis, SD Crew Cab
4x4 SD Crew Cab 203" WB DRW XL(W5H)
Price Level: 755 Quote ID: WBAH1706

Pricing - Multiple Vehicles (2)

	MSRP
<i>Vehicle Pricing</i>	\$134,860.00
<i>Discount Adjustments</i>	-\$22,692.00
Total	\$112,168.00

Customer Signature

Acceptance Date

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: Arnold Heller, Mannasec Acquisition Co. LLC dba Warner
By: Kent Kuehn Date: 05/10/2017



Warranty - Standard Equipment & Specs

Warranty

Basic

Distance 36000 miles Months 36 months

Powertrain

Distance 60000 miles Months 60 months

Corrosion Perforation

Distance Unlimited miles Months 60 months

Roadside Assistance

Distance 60000 miles Months 60 months

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Selected Equipment & Specs

Dimensions

Exterior length: 289.2" * Cab to axle: 84.0" * Exterior width: 105.9" * Exterior height: 81.7" * Wheelbase: 203.0" * Front track: 74.8" * Rear track: 74.0" * Turning radius: 28.6' * Min ground clearance: 8.2" * Front legroom: 43.9" * Rear legroom: 43.6" * Front headroom: 40.8" * Rear headroom: 40.4" * Front hiproom: 62.5" * Rear hiproom: 64.7" * Front shoulder room: 66.7" * Rear shoulder room: 65.9" * Passenger volume: 131.7cu.ft. * Cargo volume: 52.1cu.ft. * Maximum cargo volume: 52.1cu.ft.

Powertrain

Powerstroke 330hp 6.7L OHV 32 valve intercooled turbo V-8 engine with diesel direct injection * Recommended fuel : diesel * federal * TorqShift 6 speed automatic transmission with overdrive * Part-time * Limited slip differential * Fuel Economy Cty: N/A * Fuel Economy Highway: N/A * Transmission PTO provision

Suspension/Handling

Front Mono-beam non-independent suspension with anti-roll bar, HD shocks * Rear DANA 130 rigid axle leaf spring suspension with anti-roll bar, HD shocks * Firm ride Suspension * Hydraulic power-assist re-circulating ball Steering * Front and rear 19.5 x 6 argent steel wheels * LT225/70SR19.5 GBSW AS front and rear tires * Dual rear wheels

Body Exterior

4 doors * Conventional left rear passenger * Conventional right rear passenger * Driver and passenger power remote heated folding door mirrors with turn signal indicator * Turn signal indicator in mirrors * Black door mirrors * Chrome bumpers * Trailer harness * Clearcoat paint * Front and rear 19.5 x 6 wheels

Convenience

Manual air conditioning with air filter * Cruise control with steering wheel controls * Power windows * Driver and passenger 1-touch up * Driver and passenger 1-touch down * Remote power door locks with 2 stage unlock and illuminated entry * Manual tilt steering wheel * Manual telescopic steering wheel * Day-night rearview mirror * 1 1st row LCD monitor * Front cupholders * Passenger visor mirror * Full overhead console * Driver and passenger door bins * Rear door bins

Seats and Trim

Seating capacity of 6 * Front 40-20-40 split-bench seat * 4-way driver seat adjustment * Manual driver lumbar support * 4-way passenger seat adjustment * Centre front armrest with storage * 60-40 folding rear split-bench seat

Entertainment Features

AM/FM stereo radio * 6 speakers * Fixed antenna

Lighting, Visibility and Instrumentation

Halogen aero-composite headlights * Delay-off headlights * Fully automatic headlights * Variable intermittent front windshield wipers * Light tinted windows * Front and rear reading lights * Tachometer * Outside temperature display * Trip computer * Trip odometer

Safety and Security

4-wheel ABS brakes * Brake assist * 4-wheel disc brakes * Driveline traction control * Dual front impact airbag supplemental restraint system * Dual seat mounted side impact airbag supplemental restraint system * Safety Canopy System curtain 1st and 2nd row overhead airbag supplemental restraint system * Remote activated perimeter/approach lighting * Power remote door locks with 2 stage unlock and panic alarm * Security system with SecuriLock immobilizer * MyKey restricted driving mode * Manually adjustable front head restraints * 3 manually adjustable rear head restraints

Dimensions

General Weights

Curb	8509 lbs.	GVWR	19500 lbs.
Front GAWR	7000 lbs.	Rear GAWR	14706 lbs.
Payload	11060 lbs.	Front curb weight	5055 lbs.
Rear curb weight	3454 lbs.	Front axle capacity	7000 lbs.
Rear axle capacity	14706 lbs.	Front spring rating	7000 lbs.

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Selected Equipment & Specs (cont'd)

Rear spring rating 15000 lbs.
Rear tire/wheel capacity 15000 lbs.

Front tire/wheel capacity 7500 lbs.

Trailer Type

Harness Yes

Trailer sway control Yes

General Trailering

5th-wheel towing capacity 21700 lbs.
GCWR 31000 lbs.

Towing capacity 18500 lbs.

Fuel Tank type

Capacity 40 gal.

Off Road

Min ground clearance 8 "

Interior cargo

Cargo volume 52.1 cu.ft.

Maximum cargo volume 52.1 cu.ft.

Rear Frame

Height loaded 29 "

Height unloaded 34 "

Powertrain

Engine Type

Brand Powerstroke
Cylinders V-8
Ignition Compression
Liters 6.7L
Recommended fuel Diesel
Valvetrain OHV

Block material Iron
Head material Aluminum
Injection Diesel direct injection
Orientation Longitudinal
Valves per cylinder 4
Forced induction Intercooled turbo

Engine Spec

Bore 3.90"
Displacement 406 cu.in.

Compression ratio 16.2:1
Stroke 4.25"

Engine Power

Output 330 HP @ 2,600 RPM

Torque 750 ft.-lb @ 2,000 RPM

Alternator

Type Dual

Amps 377

Battery

Amp hours 78
Run down protection Yes

Cold cranking amps 750
Type Dual

Engine Extras

Block heater Yes

Transmission

Electronic control Yes
Overdrive Yes
Type Automatic

Lock-up Yes
Speed 6

Transmission Gear Ratios

1st 3.974
3rd 1.516
5th 0.858

2nd 2.318
4th 1.149
6th 0.674

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Selected Equipment & Specs (cont'd)

Reverse Gear ratios	3.128		
<i>Transmission Torque Converter</i>			
Stall ratio	1.90		
<i>Transmission Extras</i>			
Driver selectable mode	Yes	Sequential shift control	SelectShift
PTO provision	Yes		
<i>Drive Type</i>			
4wd type	Part-time	Type	Four-wheel
<i>Drive Feature</i>			
Limited slip differential	Mechanical	Traction control	Driveline
Power take-off provision	Yes	Locking hub control	Auto
Transfer case shift	Electronic		
<i>Drive Axle</i>			
Ratio	4.88		
<i>Exhaust</i>			
Material	Stainless steel	System type	Single
<i>Emissions</i>			
CARB	Federal	EPA	Tier 2 Bin 8
<i>Fuel Economy</i>			
Fuel type	Diesel		
<i>Engine Retarder</i>			
Type	Yes		
Driveability			
<i>Brakes</i>			
ABS	4-wheel	ABS channels	3
Type	4-wheel disc	Vented discs	Front and rear
<i>Brake Assistance</i>			
Brake assist	Yes		
<i>Suspension Control</i>			
Ride	Firm		
<i>Front Suspension</i>			
Independence	Mono-beam non-independent	Anti-roll bar	Regular
<i>Front Spring</i>			
Type	Coil	Grade	HD
<i>Front Shocks</i>			
Type	HD		
<i>Rear Suspension</i>			
Independence	DANA 130 rigid axle	Type	Leaf
Anti-roll bar	Regular		
<i>Rear Spring</i>			
Type	Leaf	Grade	HD

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Selected Equipment & Specs (cont'd)

Rear Shocks

Type HD

Steering

Activation Hydraulic power-assist Type Re-circulating ball

Steering Specs

of wheels 2

Exterior

Front Wheels

Diameter 19.5" Width 6.00"

Rear Wheels

Diameter 19.5" Width 6.00"
Dual Yes

Front and Rear Wheels

Appearance Argent Material Steel

Front Tires

Aspect 70 Diameter 19.5"
Sidewalls BSW Speed S
Tread AS Type LT
Width 225mm LT load rating G
RPM 647

Rear Tires

Aspect 70 Diameter 19.5"
Sidewalls BSW Speed S
Tread AS Type LT
Width 225mm LT load rating G
RPM 647

Wheels

Front track 74.8" Rear track 74.0"
Turning radius 28.6' Wheelbase 203.0"

Body Features

Front license plate bracket Yes Front splash guards Yes
Body material Aluminum Side impact beams Yes

Body Doors

Door count 4 Left rear passenger Conventional
Right rear passenger Conventional

Exterior Dimensions

Length 289.2" Body width 105.9"
Body height 81.7" Cab to axle 84.0"
Axle to end of frame 47.2" Frame section modulus 17.2cu.in.
Frame yield strength (psi) 50000.0 Frame rail width 34.2"
Front bumper to Front axle 38.3" Cab to end of frame 131.2"
Front bumper to back of cab 158.1"

Safety

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Selected Equipment & Specs (cont'd)

Airbags

Driver front-impact	Yes	Driver side-impact	Seat mounted
Overhead	Safety Canopy System curtain 1st and 2nd row	Passenger front-impact	Yes
Passenger side-impact	Seat mounted		

Seatbelt

Height adjustable	Front
-------------------------	-------

Security

Immobilizer	SecuriLock	Panic alarm	Yes
Restricted driving mode	MyKey		

Seating

Passenger Capacity

Capacity	6
----------------	---

Front Seats

Split	40-20-40	Type	Split-bench
-------------	----------	------------	-------------

Driver Seat

Fore/aft	Manual	Reclining	Manual
Way direction control	4	Lumbar support	Manual

Passenger seat

Fore/aft	Manual	Reclining	Manual
Way direction control	4		

Front Head Restraint

Control	Manual	Type	Adjustable
---------------	--------	------------	------------

Front Armrest

Centre	Yes	Storage	Yes
--------------	-----	---------------	-----

Rear Seats

Descriptor	Split-bench	Facing	Front
Folding	60-40	Folding position	Flip forward cushion/seatback
Type	Fixed		

Rear Head Restraints

Control	Manual	Type	Adjustable
Number	3		

Front Seat Trim

Material	Vinyl	Back material	Vinyl
----------------	-------	---------------------	-------

Rear Seat Trim Group

Material	Vinyl	Back material	Carpet
----------------	-------	---------------------	--------

Convenience

AC And Heat Type

Air conditioning	Manual	Air filter	Yes
Underseat ducts	Yes		

Audio System

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Selected Equipment & Specs (cont'd)

Radio	AM/FM stereo	Radio grade	Regular
Seek-scan	Yes		
<i>Audio Speakers</i>			
Speaker type	Regular	Speakers	6
<i>Audio Antenna</i>			
Type	Fixed		
<i>LCD Monitors</i>			
1st row	1	Primary monitor size (inches)	4.2
<i>Cruise Control</i>			
Cruise control	With steering wheel controls		
<i>Convenience Features</i>			
Retained accessory power	Yes	12V DC power outlet	2
<i>Door Lock Activation</i>			
Type	Power with 2 stage unlock	Remote	Keyfob (all doors)
Integrated key/remote	Yes		
<i>Instrumentation Type</i>			
Display	Analog		
<i>Instrumentation Gauges</i>			
Tachometer	Yes	Engine temperature	Yes
Turbo/supercharger boost	Yes	Transmission fluid temp	Yes
Engine hour meter	Yes		
<i>Instrumentation Warnings</i>			
Oil pressure	Yes	Engine temperature	Yes
Battery	Yes	Lights on	Yes
Key	Yes	Low fuel	Yes
Door ajar	Yes	Service interval	Yes
Brake fluid	Yes		
<i>Instrumentation Displays</i>			
Clock	In-radio display	Exterior temp	Yes
Systems monitor	Yes		
<i>Instrumentation Feature</i>			
Trip computer	Yes	Trip odometer	Yes
<i>Steering Wheel Type</i>			
Material	Urethane	Tilting	Manual
Telescoping	Manual		
<i>Front Side Windows</i>			
Window 1st row activation	Power		
<i>Windows Rear Side</i>			
2nd row activation	Power		
<i>Window Features</i>			
1-touch down	Driver and passenger	1-touch up	Driver and passenger
Tinted	Light		

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Selected Equipment & Specs (cont'd)

Front Windshield

Wiper Variable intermittent

Rear Windshield

Window Fixed

Interior

Passenger Visor

Mirror Yes

Rear View Mirror

Day-night Yes

Headliner

Coverage Full Material Cloth

Floor Trim

Coverage Full Covering Vinyl/rubber

Trim Feature

Gear shift knob Urethane Interior accents Chrome

Lighting

Dome light type Fade Front reading Yes

Illuminated entry Yes Rear reading Yes

Variable IP lighting Yes

Overhead Console Storage

Storage Yes Type Full

Storage

Driver door bin Yes Front Beverage holder(s) Yes

Glove box Locking Passenger door bin Yes

Illuminated Yes Instrument panel Bin

Dashboard Covered Rear door bins Yes

Legroom

Front 43.9" Rear 43.6"

Headroom

Front 40.8" Rear 40.4"

Hip Room

Front 62.5" Rear 64.7"

Shoulder Room

Front 66.7" Rear 65.9"

Interior Volume

Passenger volume 131.7 cu.ft.

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.